

Blank Shaft Numerical Listing



PART		APPLICATION	
28 SPLINE	CH-5-22-102	28 SPLINE	DODGE Neon: (95-99) PLYMOUTH Neon: (95-99)
I/B		O/B	
32 SPLINE	CH-5-22-103	32 SPLINE	CHRYSLER Cirrus: (95-99) DODGE Stratus: (95-99) PLYMOUTH Breeze: (95-99)
I/B		O/B	
30 SPLINE	CH-5-22-104	30 SPLINE	DODGE Monaco: (89-92) EAGLE Premier: 6 Cyl (88-92)
I/B		O/B	
32 SPLINE	CH-5-22-106	32 SPLINE	CHRYSLER Town&Country MiniVan: AWD Front Town&Country MiniVan: 2WD (96-00) DODGE Caravan: AWD Front (96-00) Caravan: 6 Cyl 2WD (96-00) PLYMOUTH Voyager: AWD Front (96-00) Voyager: 6 Cyl 2WD (96-00)
I/B		O/B	
32 SPLINE	CH-5-22-109	32 SPLINE	CHRYSLER Concorde: (93-97) LHS: (96-97) DODGE Intrepid: (93-97) EAGLE Vision: (93-97)
I/B		O/B	
32 SPLINE	CH-5-22-112	32 SPLINE	CHRYSLER 300M: (99-03) Concorde: (98-03) LHS: (99-01) DODGE Intrepid: (98-03)
I/B		O/B	
27 SPLINE	CH-5-22-113	32 SPLINE	JEEP Grand Cherokee: Quadra-Drive AWD Front Veriloc
I/B		O/B	
27 SPLINE	CH-5-22-114	32 SPLINE	JEEP Grand Cherokee: Select-Trac or Quadra-Trac AWD Front w/o Veriloc
I/B		O/B	
32 SPLINE	CH-5-22-115	32 SPLINE	DODGE Caravan: 2WD (91-95) PLYMOUTH Voyager: 6 Cyl 2WD (91-95)
I/B		O/B	
32 SPLINE	CH-5-22-118	32 SPLINE	CHRYSLER Le Baron: Saginaw Design (91-93)
I/B		O/B	
35 SPLINE	CH-5-22-125	35 SPLINE	JEEP Liberty: AWD Front (02-05)
I/B		O/B	
25 SPLINE	CH-5-22-126	32 SPLINE	CHRYSLER Le Baron: GKN Design (87-90)
I/B		O/B	



Blank Shaft Numerical Listing

PART		APPLICATION	
25 SPLINE I/B	CH-5-22-201 26 3/4'' (679.5 mm)	32 SPLINE O/B	CHRYSLER Town&Country MiniVan: 2WD (91-95) DODGE Caravan: 6 Cyl GKN Design (87) Caravan: (88-90) PLYMOUTH Voyager: GKN Design (87) Voyager: 6 Cyl GKN Design (87) Voyager: 4 Cyl (88-90)
28 SPLINE I/B	CH-5-22-202 24 11/16'' (627 mm)	28 SPLINE O/B	DODGE Neon: (95-99) PLYMOUTH Neon: (95-99)
32 SPLINE I/B	CH-5-22-203 30 1/4'' (768 mm)	32 SPLINE O/B	CHRYSLER Cirrus: (95-99) DODGE Stratus: (95-99) PLYMOUTH Breeze: (95-99)
28 SPLINE I/B	CH-5-22-204 28 1/2'' (724.5 mm)	28 SPLINE O/B	DODGE Neon: (98-99) PLYMOUTH Neon: (98-99)
30 SPLINE I/B	CH-5-22-205 13 3/4'' (349 mm)	30 SPLINE O/B	DODGE Monaco: (89-92) EAGLE Premier: 6 Cyl (88-92)
32 SPLINE I/B	CH-5-22-206 27 3/4'' (705 mm)	32 SPLINE O/B	CHRYSLER Town&Country MiniVan: 2WD (96-00) DODGE Caravan: 6 Cyl 2WD (96-00) PLYMOUTH Voyager: 6 Cyl 2WD (96-00)
25 SPLINE I/B	CH-5-22-207 19 13/16'' (503 mm)	32 SPLINE O/B	CHRYSLER Town&Country MiniVan: AWD Front DODGE Caravan: AWD Front (91-95) PLYMOUTH Voyager: 6 Cyl AWD Front (91-95)
32 SPLINE I/B	CH-5-22-209 14 7/8'' (378 mm)	32 SPLINE O/B	CHRYSLER Concorde: (93-97) LHS: (96-97) DODGE Intrepid: (93-97) EAGLE Vision: (93-97) PLYMOUTH Prowler: (97)
32 SPLINE I/B	CH-5-22-211 26 1/8'' (663 mm)	32 SPLINE O/B	DODGE Caravan: 2WD (91-95) PLYMOUTH Voyager: 6 Cyl 2WD (91-95)
32 SPLINE I/B	CH-5-22-212 14 11/16'' (373 mm)	32 SPLINE O/B	CHRYSLER 300M: (99-03) Concorde: (98-03) LHS: (99-01) DODGE Intrepid: (98-03)
32 SPLINE I/B	CH-5-22-214 20 7/8'' (530 mm)	32 SPLINE O/B	DODGE Caravan: AWD Front (96-00)

Blank Shaft Numerical Listing



PART		APPLICATION		
32 SPLINE	CH-5-22-218	32 SPLINE	CHRYSLER	Le Baron: Saginaw Design (91-93)
I/B		O/B		
35 SPLINE	CH-5-22-225	35 SPLINE	JEEP	Liberty: AWD Front (02-05)
I/B		O/B		
25 SPLINE	CH-5-22-226	32 SPLINE	CHRYSLER	Le Baron: GKN Design (87-90)
I/B		O/B		
34 SPLINE	CH-5-22-301	34 SPLINE	DODGE	Dakota: AWD (91-96)
I/B		O/B		
30 SPLINE	CH-5-22-302	30 SPLINE	CHRYSLER DODGE PLYMOUTH	Town&Country MiniVan: AWD Rear Caravan: AWD Rear (91-95) Voyager: 6 Cyl AWD Rear (91-95)
I/B		O/B		
27 SPLINE	CH-5-22-303	32 SPLINE	DODGE	Dakota: AWD Front (87-90)
I/B		O/B		
34 SPLINE	CH-5-22-305	34 SPLINE	DODGE	Dakota: AWD Front (97-99) Durango: AWD Front (97-99)
I/B		O/B		
32 SPLINE	CH-5-22-601	27 SPLINE	JEEP	Cherokee: AWD Front (85-93) Grand Cherokee: AWD Front (93-98) Wagoneer: AWD Front (85-90)
I/B		O/B		
27 SPLINE	CH-5-22-602	32 SPLINE	JEEP	Cherokee: AWD Front (85-93) Grand Cherokee: AWD Front (93-98) Wagoneer: AWD Front (85-90)
I/B		O/B		
27 SPLINE	CH-5-22-607	32 SPLINE	JEEP	Grand Cherokee: Quadra-Drive AWD Front Veriloc
I/B		O/B		
27 SPLINE	CH-5-22-608	32 SPLINE	JEEP	Grand Cherokee: Select-Trac or Quadra-Trac AWD Front w/o Veriloc
I/B		O/B		
32 SPLINE	FD-5-01-101	30 SPLINE	FORD MERCURY	Contour: 4 Cyl (95-00) Mystique: 4 Cyl (95-00)
I/B		O/B		













Blank Shaft Numerical Listing

PART		APPLICATION	
32 SPLINE I/B	FD-5-01-102 14 3/4'' (374.5 mm)	32 SPLINE O/B	FORD MERCURY Contour: 6 Cyl (95-00) Cougar: 6 Cyl (99-02) Mystique: 6 Cyl (95-00)
32 SPLINE I/B	FD-5-01-106 15 7/16'' (392 mm)	32 SPLINE O/B	FORD Windstar: (95-98)
30 SPLINE I/B	FD-5-01-111 14 3/16'' (360.5 mm)	30 SPLINE O/B	FORD MERCURY Taurus: 6 Cyl SHO (86-95) Taurus: 6 Cyl (86-95) Sable: 6 Cyl (86-95)
21 SPLINE I/B	FD-5-01-113 15 13/16'' (401 mm)	22 SPLINE O/B	FORD Aspire: (94-97)
21 SPLINE I/B	FD-5-01-114 16 3/8'' (416 mm)	19 SPLINE O/B	FORD Aspire: (94-97)
23 SPLINE I/B	FD-5-01-123 15 11/16'' (398 mm)	23 SPLINE O/B	FORD Focus: (00-03)
28 SPLINE I/B	FD-5-01-124 13 7/8'' (352 mm)	28 SPLINE O/B	FORD MERCURY Tempo: (92-94) Topaz: 4 Cyl (92-94)
22 SPLINE I/B	FD-5-01-138 15 3/4'' (399.5 mm)	19 SPLINE O/B	FORD Festiva: (89-93)
23 SPLINE I/B	FD-5-01-202 26 5/8'' (676 mm)	23 SPLINE O/B	FORD MERCURY Escort: (86-90) Tempo: (86-91) Lynx: (86-87)
32 SPLINE I/B	FD-5-01-206 18 11/16'' (474 mm)	32 SPLINE O/B	FORD Windstar: (95-98)
30 SPLINE I/B	FD-5-01-211 17 3/8'' (441 mm)	30 SPLINE O/B	FORD MERCURY Taurus: 6 Cyl SHO (86-95) Taurus: 6 Cyl (86-95) Taurus: 4 Cyl (86-95) Sable: 6 Cyl (86-95)
32 SPLINE I/B	FD-5-01-212 16 3/8'' (416 mm)	32 SPLINE O/B	FORD Taurus: 6 Cyl SHO (96-99)











Blank Shaft Numerical Listing



PART		APPLICATION		
21 SPLINE	FD-5-01-213	22 SPLINE	FORD	Aspire: (94-97)
I/B		O/B		
	27 5/8'' (701 mm)			
19 SPLINE	FD-5-01-214	21 SPLINE	FORD	Aspire: (94-97)
I/B		O/B		
	27 1/8'' (689 mm)			
30 SPLINE	FD-5-01-217	28 SPLINE	FORD	Escort: (97-03)
I/B		O/B		
	27'' (686.5 mm)			
28 SPLINE	FD-5-01-221	28 SPLINE	FORD	Escort: (97-02)
I/B		O/B		
	27 9/16'' (700.5 mm)			
34 SPLINE	FD-5-01-301	34 SPLINE	FORD	Explorer: AWD Front (95-01)
I/B		O/B		Ranger: AWD Front Threaded OBJ
	12 3/8'' (314 mm)		MAZDA	Ranger: AWD Front Exc. Threaded OBJ
				Pickup B2300: AWD Front Threaded OBJ
				Pickup B2500: AWD Front Threaded OBJ
				Pickup B2500: AWD Front Exc. Threaded OBJ
				Pickup B3000: AWD Front Threaded OBJ
				Pickup B3000: AWD Front Exc. Threaded OBJ
				Pickup B4000: AWD Front Threaded OBJ
				Pickup B4000: AWD Front Exc. Threaded OBJ
			MERCURY	Mountaineer: AWD Front (97-01)
32 SPLINE	FD-5-01-302	30 SPLINE	FORD	Contour: 4 Cyl (95-00)
I/B		O/B	MERCURY	Mystique: 4 Cyl (95-00)
	15 7/8'' (403 mm)			
32 SPLINE	FD-5-01-303	32 SPLINE	FORD	Contour: 6 Cyl (95-00)
I/B		O/B	MERCURY	Cougar: 6 Cyl (99-02)
	15 1/2'' (394 mm)			Mystique: 6 Cyl (95-00)
30 SPLINE	FD-5-01-304	33 SPLINE	FORD	Aerostar: AWD Front (92-97)
I/B		O/B		
	16 3/8'' (416 mm)			
28 SPLINE	FD-5-01-305	28 SPLINE	FORD	Expedition: AWD Front (97-02)
I/B		O/B		Pickup F150: AWD Front (97-01)
	13 15/16'' (354 mm)		LINCOLN	Pickup F250: AWD Front Thru 8500 GVW
				Navigator: AWD Front (98-02)
30 SPLINE	FD-5-01-307	28 SPLINE	FORD	Aerostar: AWD Front (90-91)
I/B		O/B		
	13 5/8'' (345.5 mm)			












Blank Shaft Numerical Listing

PART		APPLICATION		
22 SPLINE	GM-5-00-103	22 SPLINE	GEO ISUZU	Storm: 4 Cyl SOHC (90-93) Stylus: 4 Cyl SOHC (91-93)
I/B		O/B		
	14 11/16'' (373 mm)			
22 SPLINE	GM-5-00-104	22 SPLINE	GEO ISUZU PONTIAC	Storm: 4 Cyl SOHC (90-93) Stylus: 4 Cyl SOHC (91-93) Sunfire: (93)
I/B		O/B		
	16 5/16'' (414 mm)			
30 SPLINE	GM-5-00-105	30 SPLINE	GEO ISUZU PONTIAC	Storm: GSI 4 Cyl DOHC (90-93) Impulse: (90-92) Stylus: 4 Cyl DOHC (91-93) Sunfire: (93)
I/B		O/B		
	16 3/8'' (416 mm)			
29 SPLINE	GM-5-00-107	29 SPLINE	BUICK CADILLAC CHEVROLET OLDSMOBILE PONTIAC	Skyhawk: (84) Cimarron: (84) Cavalier: (84) Firenza: (84) 2000: (84)
I/B		O/B		
	14'' (355 mm)			
32 SPLINE	GM-5-00-108	32 SPLINE	BUICK OLDSMOBILE	Century: (94-96) Ciera: (94-96)
I/B		O/B		
	15 1/8'' (384 mm)			
34 SPLINE	GM-5-00-111	34 SPLINE	CHEVROLET GMC ISUZU OLDSMOBILE	S10 Blazer: Exc. ZR-2 AWD Front S10 Pickup: Exc. ZR-2 AWD Front Envoy: AWD Front (98-00) S15 Jimmy: Exc. ZR-2 AWD Front S15 Pickup: Exc. ZR-2 AWD Front Sonoma: Exc. ZR-2 AWD Front Hombre: AWD Front (98-00) Bravada: AWD Front (97-01)
I/B		O/B		
	13 5/8'' (346 mm)			
29 SPLINE	GM-5-00-114	29 SPLINE	CHEVROLET	Beretta: 6 Cyl H/D or Sport Suspension Beretta: 4 Cyl (92-95) Cavalier: 4 Cyl (92-94) Corsica: 6 Cyl H/D or Sport Suspension Corsica: 4 Cyl (92-95)
I/B		O/B		
	13 1/2'' (342.5 mm)			
29 SPLINE	GM-5-00-115	29 SPLINE	CHEVROLET PONTIAC	Cavalier: 4 Cyl (95) Sunfire: (95)
I/B		O/B		
	14 1/8'' (359.5 mm)			
32 SPLINE	GM-5-00-116	32 SPLINE	BUICK CHEVROLET OLDSMOBILE PONTIAC	Regal: Exc. Supercharged (98-99) Venture: (99) Intrigue: (98) Intrigue: 6 Cyl (99) Silhouette: (99) Montana: (99)
I/B		O/B		
	15'' (381 mm)			
32 SPLINE	GM-5-00-117	32 SPLINE	BUICK CHEVROLET OLDSMOBILE PONTIAC	Century: (94-96) Lesabre: 3.06 Axle Ratio (97) Lumina APV Van: (92-96) Ciera: (94-96) Eighty Eight: Exc. Supercharged 3.06 Axle Ratio Silhouette: (92-96) Bonneville: Exc. Supercharged 3.06 Axle Ratio Transport: (92-96)
I/B		O/B		
	13 9/16'' (344 mm)			

Blank Shaft Numerical Listing



PART		APPLICATION	
32 SPLINE	GM-5-00-118	32 SPLINE	BUICK PONTIAC Lesabre: (97) Bonneville: (97)
I/B		O/B	
	14 1/4'' (362 mm)		
34 SPLINE	GM-5-00-120	34 SPLINE	BUICK PONTIAC Riviera: (95-96) Grand Prix: Exc. Supercharged
I/B		O/B	
	15 1/16'' (383 mm)		
34 SPLINE	GM-5-00-121	34 SPLINE	CHEVROLET Lumina: 6 Cyl (98-99) Monte Carlo: 6 Cyl (98-99)
I/B		O/B	
	14 1/4'' (362 mm)		
21 SPLINE	GM-5-00-203	21 SPLINE	GEO ISUZU Storm: 4 Cyl SOHC (90-93) Stylus: 4 Cyl SOHC (91-93)
I/B		O/B	
	29 3/16'' (741 mm)		
21 SPLINE	GM-5-00-204	21 SPLINE	GEO ISUZU Storm: 4 Cyl SOHC (90-93) Stylus: 4 Cyl SOHC (91-93)
I/B		O/B	
	27 1/4'' (692 mm)		
23 SPLINE	GM-5-00-205	23 SPLINE	GEO ISUZU PONTIAC Storm: GSI 4 Cyl DOHC (90-93) Impulse: (90-92) Sunfire: (93)
I/B		O/B	
	27 7/16'' (697 mm)		
32 SPLINE	GM-5-00-208	32 SPLINE	BUICK Lesabre: 3.06 Axle Ratio (96-97) Park Avenue: Supercharged (95-96) Park Avenue: Exc. Supercharged 3.06 Axle Ratio OLDSMOBILE Ninety Eight - 98: Supercharged Ninety Eight - 98: Exc. Supercharged 3.06 Axle Ratio
I/B		O/B	
	18 1/16'' (459 mm)		
32 SPLINE	GM-5-00-212	32 SPLINE	BUICK Lesabre: (92-95) Lesabre: 2.84 Axle Ratio (96-97) Lesabre: 2.86 Axle Ratio (98-99) Park Avenue: Exc. Supercharged 33 Spline Hub Park Avenue: Exc. Supercharged Park Avenue: Exc. Supercharged 2.84 Axle Ratio CHEVROLET Lumina: 6 Cyl (98-99) Monte Carlo: 6 Cyl (98-99) OLDSMOBILE Eighty Eight: (92-94) Eighty Eight: Exc. Supercharged 2.84 Axle Ratio Eighty Eight: Exc. Supercharged 2.86 Axle Ratio Ninety Eight - 98: Exc. Supercharged Ninety Eight - 98: Exc. Supercharged 2.84 Axle Ratio PONTIAC Bonneville: Exc. Supercharged Bonneville: Exc. Supercharged 2.84 Axle Ratio Bonneville: Exc. Supercharged 2.86 Axle Ratio
I/B		O/B	
	16 3/16'' (411 mm)		
32 SPLINE	GM-5-00-214	32 SPLINE	CHEVROLET OLDSMOBILE PONTIAC Lumina APV Van: (92-96) Silhouette: (92-96) Transport: (92-96)
I/B		O/B	
	15 1/16'' (382 mm)		



Blank Shaft Numerical Listing

PART		APPLICATION		
32 SPLINE	GM-5-00-216	32 SPLINE	BUICK	Century: (97-99) Regal: Exc. Supercharged (97-99)
I/B		O/B	CHEVROLET	Venture: (97-99)
			OLDSMOBILE	Intrigue: (98) Intrigue: 6 Cyl (99) Silhouette: (97-99)
			PONTIAC	Grand Prix: 6 Cyl (97-99) Montana: (99) Transport: (97-98)
32 SPLINE	GM-5-00-217	32 SPLINE	BUICK	Skylark: (94-98)
I/B		O/B	CHEVROLET	Beretta: 6 Cyl (92-96) Corsica: 6 Cyl (94-96)
			OLDSMOBILE	Achieva: 6 Cyl (94) Achieva: 4 Cyl Exc. HO (94) Achieva: (95-98)
			PONTIAC	Grand Am: Exc. HO Quad 4 (94) Grand Am: (95-98)
34 SPLINE	GM-5-00-219	34 SPLINE	PONTIAC	Grand Prix: Supercharged (97-99)
I/B		O/B		
34 SPLINE	GM-5-00-220	34 SPLINE	BUICK	Park Avenue: Exc. Supercharged
I/B		O/B		
29 SPLINE	GM-5-00-221	29 SPLINE	CHEVROLET	Cavalier: 4 Cyl (95)
I/B		O/B	PONTIAC	Sunfire: (95)
22 SPLINE	GM-5-00-238	22 SPLINE	GEO	Spectrum: (85-88)
I/B		O/B		
35 SPLINE	GM-5-00-301	35 SPLINE	CADILLAC	Escalade: AWD Front (99-00)
I/B		O/B	CHEVROLET	Pickup K1500: AWD Front 8 Bolt Wheel 7200 GVW Pickup K2500: AWD Front 6 Bolt Wheel 7200 GVW Suburban 1500: AWD Front 6 Bolt Wheel Tahoe: AWD Front Classic Body Style
			GMC	Pickup K1500: AWD Front 8 Bolt Wheel 7200 GVW Pickup K2500: Classic Body AWD Front 8 Bolt Wheel 7200 GVW Suburban 1500: AWD Front 6 Bolt Wheel Yukon: AWD Front Classic Front Style
34 SPLINE	GM-5-00-302	34 SPLINE	BUICK	Bravada: AWD Front H/D Shocks
I/B		O/B	CHEVROLET	S10 Blazer: AWD Front (83-93) S10 Blazer: Exc. ZR-2 AWD Front S10 Pickup: AWD Front (83-93) S10 Pickup: Exc. ZR-2 AWD Front
			GMC	S15 Jimmy: AWD Front (83-93) S15 Jimmy: Exc. ZR-2 AWD Front S15 Pickup: AWD Front (83-93) S15 Pickup: Exc. ZR-2 AWD Front S15 Syclone: AWD Front (91-92) S15 Typhoon: AWD Front (92-94)
			OLDSMOBILE	Bravada: AWD Front H/D Shocks

Blank Shaft Numerical Listing



PART		APPLICATION	
34 SPLINE	GM-5-00-303	34 SPLINE	CHEVROLET S10 Blazer: ZR-2 AWD Front S10 Pickup: ZR-2 AWD Front
I/B		O/B	GMC S15 Jimmy: ZR-2 AWD Front (94-96) S15 Pickup: ZR-2 AWD Front
29 SPLINE	GM-5-00-304	29 SPLINE	CHEVROLET Pickup K2500: AWD Front 8 Bolt Wheel 8600 GVW Pickup K3500: AWD Front 8 Bolt Wheel 8600 GVW
I/B		O/B	
34 SPLINE	GM-5-00-305	35 SPLINE	CHEVROLET Astro Van: AWD Front (90-96)
I/B		O/B	GMC Safari Van: AWD Front (90-96)
29 SPLINE	GM-5-00-306	28 SPLINE	SATURN S Series: (91-93)
I/B		O/B	
29 SPLINE	GM-5-00-307	29 SPLINE	SATURN S Series: (94-96)
I/B		O/B	
41 SPLINE	GM-5-00-309	41 SPLINE	CHEVROLET Avalanche 2500: AWD Front (02-03) Silverado 1500: AWD Front Crew Cab Silverado 2500: AWD Front (99-03) Silverado 3500: AWD Front (01-03) Suburban 2500: AWD Front (00-03)
I/B		O/B	GMC Sierra 1500: AWD Front Crew Cab Sierra 2500: AWD Front (99-03) Sierra 3500: AWD Front (01-03) Suburban 2500: AWD Front (00-02) Yukon XL 2500: AWD Front (00-03)
			HUMMER H2: (03)
35 SPLINE	GM-5-00-310	35 SPLINE	CADILLAC Escalade: AWD Front (02)
I/B		O/B	CHEVROLET Avalanche 1500: AWD Front (02-04) Silverado 1500: AWD Front Exc.Crew Cab Suburban 1500: AWD Front (00-02) Tahoe: AWD Front New Body Style
			GMC Sierra 1500: AWD Front Exc.Crew Cab Suburban 1500: AWD Front (00-02) Yukon: AWD Front New Front Style Yukon XL 1500: AWD Front (00-02)
35 SPLINE	GM-5-00-311	34 SPLINE	CHEVROLET Astro Van: AWD Front (97-02)
I/B		O/B	GMC Safari Van: AWD Front (97-00)
34 SPLINE	GM-5-00-312	34 SPLINE	CHEVROLET S10 Blazer: ZR-2 AWD Front S10 Pickup: ZR-2 AWD Front
I/B		O/B	
41 SPLINE	GM-5-00-315	41 SPLINE	CHEVROLET Pickup K3500: Classic Body AWD Front 8 Bolt Wheel 8600 GVW Suburban 2500: Classic Body Style AWD Front 8 Bolt Wheel
I/B		O/B	GMC Pickup K2500: Classic Body AWD Front 8 Bolt Wheel 8600 GVW Pickup K3500: Classic Body AWD Front 8 Bolt Wheel 8600 GVW Suburban 2500: Classic Body Style AWD Front 8 Bolt Wheel



Blank Shaft Numerical Listing

PART		APPLICATION	
34 SPLINE	GM-5-00-316	34 SPLINE	CADILLAC
I/B		O/B	Allante: (93) Deville: (96-97) Deville: Susp Opt FE1 or FE3 (98) Deville: Susp Opt FE1, FE3 or FE0 Deville Concours: (94-95) Eldorado: 8 Cyl (93) Eldorado: (94-99) Seville: 8 Cyl (93) Seville: (94-97)
32 SPLINE	GM-5-00-317	32 SPLINE	CHEVROLET PONTIAC
I/B		O/B	Cavalier: 4 Cyl (95-03) Sunfire: (95-03)
41 SPLINE	GM-5-00-318	41 SPLINE	CHEVROLET HUMMER
I/B		O/B	Silverado 3500: (99-03) H2: (03-05)
34 SPLINE	GM-5-00-320	34 SPLINE	CHEVROLET GMC
I/B		O/B	Trailblazer: (02-04) Envoy: (02-04)
34 SPLINE	GM-5-00-321	34 SPLINE	OLDSMOBILE
I/B		O/B	Aurora: (95-96)
32 SPLINE	HO-5-04-101	32 SPLINE	HONDA
I/B		O/B	Accord: (86-89) Prelude: Si (85-87)
32 SPLINE	HO-5-04-102	32 SPLINE	HONDA
I/B		O/B	Accord: (86-89)
32 SPLINE	HO-5-04-103	32 SPLINE	HONDA
I/B		O/B	Accord: (90-93)
30 SPLINE	HO-5-04-104	30 SPLINE	HONDA
I/B		O/B	Civic: Exc. CRX HF 2WD Exc.Wagon Civic: CRX HF (88-91) Civic: Exc.Wagon (92-98) Civic: Del Sol 4 Cyl Exc. VTEC CRX: HF Yellow Strip Axle (88-91) CRX: DX, Si (88-91)
36 SPLINE	HO-5-04-105	36 SPLINE	ACURA
I/B		O/B	Legend: (91-95)
32 SPLINE	HO-5-04-106	32 SPLINE	ACURA HONDA
I/B		O/B	CL: 4 Cyl (97-99) Accord: (94) Accord: 4 Cyl (95-97) Prelude: 4 Cyl (92-96)





Blank Shaft Numerical Listing



PART		APPLICATION	
32 SPLINE	HO-5-04-107	32 SPLINE	HONDA Accord: 6 Cyl (98-00)
I/B		O/B	
19 3/16'' (488 mm)			
32 SPLINE	HO-5-04-108	32 SPLINE	HONDA Accord: 4 Cyl (98-00)
I/B		O/B	
32 1/8'' (816 mm)			
32 SPLINE	HO-5-04-109	32 SPLINE	HONDA Accord: 4 Cyl (98-00)
I/B		O/B	
18 5/16'' (465 mm)			
32 SPLINE	HO-5-04-110	30 SPLINE	HONDA Civic: Si 2-Door Exc.Wagon
I/B		O/B	
16 3/4'' (425 mm)			
30 SPLINE	HO-5-04-111	30 SPLINE	HONDA Civic: Si Exc.Door Wagon (99-00)
I/B		O/B	
28 3/8'' (720 mm)			
35 SPLINE	HO-5-04-113	35 SPLINE	HONDA Odyssey: (99-03)
I/B		O/B	
21 1/4'' (540.5 mm)			
32 SPLINE	HO-5-04-121	32 SPLINE	HONDA Prelude: (88-89)
I/B		O/B	
17 3/8'' (442 mm)			
32 SPLINE	HO-5-04-136	32 SPLINE	ACURA RL: 6 Cyl (96-98) TL: 6 Cyl (96-98)
I/B		O/B	
20 5/16'' (516 mm)			
30 SPLINE	HO-5-04-138	32 SPLINE	HONDA Civic: (92-00)
I/B		O/B	
28 3/8'' (721 mm)			
32 SPLINE	HO-5-04-140	32 SPLINE	HONDA Prelude: Exc. SH Base Model
I/B		O/B	
17'' (432.5 mm)			
23 SPLINE	HO-5-04-141	23 SPLINE	HONDA Civic: 2-Door Base Model (04-05)
I/B		O/B	
27 3/4'' (705 mm)			
30 SPLINE	HO-5-04-145	30 SPLINE	HONDA Civic: (84-87)
I/B		O/B	
27 15/16'' (709 mm)			














Blank Shaft Numerical Listing

PART		APPLICATION	
32 SPLINE	HO-5-04-201	32 SPLINE	ACURA HONDA
I/B		O/B	TL: 5 Cyl (95-98) Accord: (86-89) Accord: 6 Cyl 27 Spline Inboard Prelude: Si (85-87) Prelude: (88-89)
	17 5/8'' (448 mm)		
30 SPLINE	HO-5-04-202	30 SPLINE	HONDA
I/B		O/B	Accord: SE-I (85) Civic: Exc. CRX HF 2WD Exc.Wagon Civic: CRX HF (88-91) CRX: HF Yellow Strip Axle (88-91) CRX: DX, Si (88-91)
	17 1/16'' (434 mm)		
36 SPLINE	HO-5-04-204	36 SPLINE	ACURA
I/B		O/B	Legend: (91-95)
	17 5/16'' (440 mm)		
30 SPLINE	HO-5-04-205	30 SPLINE	HONDA
I/B		O/B	Civic: Exc.Wagon (92-98) Civic: Del Sol 4 Cyl Exc. VTEC Civic: Si Exc.Door Wagon (99-00)
	17 3/4'' (451 mm)		
32 SPLINE	HO-5-04-207	32 SPLINE	HONDA
I/B		O/B	Accord: 6 Cyl (98-00)
	18 13/16'' (478 mm)		
32 SPLINE	HO-5-04-208	32 SPLINE	HONDA
I/B		O/B	Accord: 4 Cyl (98-00)
	17 1/2'' (445 mm)		
32 SPLINE	HO-5-04-209	32 SPLINE	HONDA
I/B		O/B	Accord: 6 Cyl 27 Spline Inboard CR-V: AWD Front (97-01)
	17 15/16'' (456 mm)		
35 SPLINE	HO-5-04-213	35 SPLINE	HONDA
I/B		O/B	Odyssey: (99-03)
	19 7/8'' (505 mm)		
32 SPLINE	HO-5-04-234	32 SPLINE	HONDA
I/B		O/B	CR-V: AWD Front (98-01)
	17 9/16'' (446.5 mm)		
32 SPLINE	HO-5-04-236	32 SPLINE	ACURA
I/B		O/B	RL: 6 Cyl (96-98) TL: 6 Cyl (96-98)
	17 1/4'' (439 mm)		
22 SPLINE	HO-5-04-237	23 SPLINE	HONDA
I/B		O/B	Civic: (01-03)
	16 11/16'' (424 mm)		
30 SPLINE	HO-5-04-238	32 SPLINE	HONDA
I/B		O/B	Civic: (92-00)
	17 5/8'' (448 mm)		

Blank Shaft Numerical Listing



PART		APPLICATION	
32 SPLINE	HO-5-04-240	32 SPLINE	HONDA Prelude: Exc. SH Base Model
I/B		O/B	
	17 1/4'' (438 mm)		
23 SPLINE	HO-5-04-241	23 SPLINE	HONDA Civic: 2-Door Base Model (04-05)
I/B		O/B	
	16 11/16'' (424 mm)		
34 SPLINE	HO-5-04-301	34 SPLINE	ACURA Legend: (86-90)
I/B		O/B	
	18 3/8'' (467 mm)		
32 SPLINE	HO-5-04-302	32 SPLINE	ACURA HONDA Integra: (86-89) Accord: (90-93) Civic: AWD Front Wagon (88-91) Odyssey: (95-98) Oasis: (96-99)
I/B		O/B	
	16 1/4'' (413 mm)		
32 SPLINE	HO-5-04-303	32 SPLINE	ACURA HONDA Integra: (90-93) Integra: Exc. "R" Series (94-01) Civic: Del Sol 4 Cyl VTEC (93-97)
I/B		O/B	
	16 11/16'' (424 mm)		
32 SPLINE	HO-5-04-304	32 SPLINE	ACURA HONDA TL: 5 Cyl (95-98) Prelude: (90-91) Prelude: 4 Cyl (92-96) Prelude: 4 Cyl VTEC (93-96)
I/B		O/B	
	17 3/8'' (442 mm)		
32 SPLINE	HO-5-04-305	32 SPLINE	ACURA HONDA CL: 4 Cyl (97-99) Accord: (94) Accord: 4 Cyl (95-97) Odyssey: (95-98) Prelude: 4 Cyl (92-96) Prelude: 4 Cyl VTEC (93-96) ISUZU Oasis: (96-99)
I/B		O/B	
	17'' (432 mm)		
34 SPLINE	HO-5-04-306	34 SPLINE	ACURA Vigor: (92-94)
I/B		O/B	
	17 9/16'' (446 mm)		
33 SPLINE	HO-5-04-308	26 SPLINE	HONDA ISUZU Passport: AWD Front (98-01) Amigo: AWD Front (98-01) Axiom: AWD Front (02) Rodeo: AWD Front (98-01)
I/B		O/B	
	13'' (330 mm)		
26 SPLINE	HO-5-04-310	26 SPLINE	HONDA ISUZU Passport: AWD Front (96-97) Amigo: AWD Front (96-97) Rodeo: AWD Front (96-97) Trooper: AWD Front (92-94)
I/B		O/B	
	11 7/8'' (302 mm)		
32 SPLINE	HO-5-04-315	32 SPLINE	ACURA Integra: GSR Series (94-01)
I/B		O/B	
	16 11/16'' (424 mm)		












Blank Shaft Numerical Listing

PART		APPLICATION	
23 SPLINE	HY-5-11-207	23 SPLINE	HYUNDAI Elantra: (96-00)
I/B		O/B	
28 1/8'' (715 mm)			
26 SPLINE	HY-5-11-303	26 SPLINE	HYUNDAI Sonata: 6 Cyl (92-94)
I/B		O/B	
16 1/2'' (419 mm)			
26 SPLINE	IZ-5-26-102	26 SPLINE	HONDA Passport: AWD Front (94-95) ISUZU Amigo: AWD Front (89-94) Rodeo: AWD Front (91-95) Trooper: AWD Front (88-91)
I/B		O/B	
10 7/16'' (265 mm)			
26 SPLINE	IZ-5-26-301	26 SPLINE	ACURA SLX: (96-99) ISUZU Trooper: AWD Front (95-02)
I/B		O/B	
13'' (330 mm)			
23 SPLINE	KA-5-12-101	23 SPLINE	KIA Sephia: 4 Cyl DOHC (95-97)
I/B		O/B	
16'' (406 mm)			
24 SPLINE	KA-5-12-105	24 SPLINE	KIA Sephia: (98-01)
I/B		O/B	
16 9/16'' (420 mm)			
22 SPLINE	KA-5-12-201	22 SPLINE	KIA Sephia: 4 Cyl DOHC (95-97)
I/B		O/B	
15 1/2'' (394 mm)			
22 SPLINE	KA-5-12-202	22 SPLINE	KIA Sephia: 4 Cyl DOHC (95-97)
I/B		O/B	
15 9/16'' (395.5 mm)			
24 SPLINE	KA-5-12-205	24 SPLINE	KIA Sephia: (98-01)
I/B		O/B	
18 7/16'' (467.5 mm)			
30 SPLINE	KA-5-12-206	30 SPLINE	KIA Sephia: (95-97)
I/B		O/B	
18'' (458 mm)			
25 SPLINE	KA-5-12-301	25 SPLINE	KIA Sportage: AWD Front (95-00)
I/B		O/B	
12 7/16'' (316 mm)			

Blank Shaft Numerical Listing



PART		APPLICATION	
23 SPLINE	MI-5-08-101 32 SPLINE	CHRYSLER	Sebring: Coupe (00) Sebring: 6 Cyl Coupe (95-99) Sebring: 4 Cyl Coupe (95-99)
I/B	 O/B	DODGE	Avenger: (00) Avenger: 6 Cyl (95-99) Avenger: 4 Cyl (95-99)
	15 1/2'' (394 mm)	EAGLE	Talon: 4 Cyl 2WD (95-98)
		MITSUBISHI	Eclipse: 4 Cyl 2WD (95-99)
26 SPLINE	MI-5-08-103 26 SPLINE	MITSUBISHI	Diamante: (92-96)
I/B	 O/B		
	17 5/8'' (448 mm)		
23 SPLINE	MI-5-08-104504 25 SPLINE	MITSUBISHI	Eclipse: (95-99) Galant: (94-98)
I/B	 O/B		
	17 1/4'' (438 mm)		
26 SPLINE	MI-5-08-113 26 SPLINE	DODGE	Stealth: DOHC 2WD (91-96)
I/B	 O/B	MITSUBISHI	3000 GT: 2WD (91-96) 3000 GT: DOHC 2WD (97-99)
	18 1/8'' (460 mm)		
23 SPLINE	MI-5-08-122 23 SPLINE	EAGLE	Talon: (90-94)
I/B	 O/B		
	29'' (737 mm)		
23 SPLINE	MI-5-08-12504 23 SPLINE	EAGLE	Talon: 2WD (90-94)
I/B	 O/B	MITSUBISHI	Eclipse: 4 Cyl AWD Front (90-92) Eclipse: 4 Cyl (90-94) Galant: 4 Cyl Turbo AWD Front Galant: 4 Cyl SOHC 2WD (89-92) Galant: 4 Cyl DOHC 2WD (89-92) Galant: 4 Cyl AWD Front (89-92) Galant: (93)
	15 15/16'' (405 mm)	PLYMOUTH	Laser: 4 Cyl AWD Front (90-91) Laser: 4 Cyl (90-91) Laser: 4 Cyl (90-94)
23 SPLINE	MI-5-08-12504L 23 SPLINE	EAGLE	Talon: 2WD (90-94)
I/B	 O/B	MITSUBISHI	Eclipse: 4 Cyl (90-94) Galant: 4 Cyl SOHC 2WD (89-92) Galant: 4 Cyl DOHC 2WD (89-92) Galant: 4 Cyl AWD Front (89-92) Galant: (93)
	29 5/16'' (744 mm)	PLYMOUTH	Laser: 4 Cyl (90-91) Laser: 4 Cyl (90-94)
23 SPLINE	MI-5-08-128 23 SPLINE	CHRYSLER	Sebring: Coupe (01-05)
I/B	 O/B	DODGE	Stratus: Coupe (01-05)
	17 9/16'' (446 mm)	MITSUBISHI	Galant: 4 Cyl (99-03)
23 SPLINE	MI-5-08-129 23 SPLINE	CHRYSLER	Sebring: 6 Cyl (01-05)
I/B	 O/B	DODGE	Stratus: 6 Cyl (01-05)
	16 7/8'' (428.5 mm)	MITSUBISHI	Galant: 6 Cyl (99-03)



Blank Shaft Numerical Listing

PART		APPLICATION	
22 SPLINE	MI-5-08-17550	22 SPLINE	DODGE Colt: 4 Cyl (93-96) EAGLE Summit: 4 Cyl (93-96) MITSUBISHI Mirage: 4 Cyl (93-96)
I/B		O/B	
22 SPLINE	MI-5-08-17550L	22 SPLINE	DODGE Colt: 4 Cyl (93-96) EAGLE Summit: 4 Cyl (93-96) MITSUBISHI Mirage: 4 Cyl (93-96)
I/B		O/B	
32 SPLINE	MI-5-08-201	23 SPLINE	CHRYSLER Sebring: 4 Cyl Coupe (95-99) DODGE Avenger: 4 Cyl (95-99) EAGLE Talon: 4 Cyl 2WD (95-98) MITSUBISHI Eclipse: 4 Cyl 2WD (95-99)
I/B		O/B	
26 SPLINE	MI-5-08-203	26 SPLINE	MITSUBISHI Diamante: (92-96)
I/B		O/B	
25 SPLINE	MI-5-08-210	25 SPLINE	DODGE Colt: Vista AWD Front (85-87)
I/B		O/B	
26 SPLINE	MI-5-08-213	26 SPLINE	DODGE Stealth: DOHC 2WD (91-92) MITSUBISHI 3000 GT: 2WD (91-92)
I/B		O/B	
23 SPLINE	MI-5-08-216	30 SPLINE	CHRYSLER Sebring: Coupe (00) Sebring: 6 Cyl Coupe (95-99) DODGE Avenger: (00) Avenger: 6 Cyl (95-99)
I/B		O/B	
23 SPLINE	MI-5-08-218	25 SPLINE	EAGLE Talon: 4 Cyl Turbo (95-98) MITSUBISHI Eclipse: 4 Cyl Turbo (95-99)
I/B		O/B	
23 SPLINE	MI-5-08-228	23 SPLINE	CHRYSLER Sebring: Coupe (01-05) DODGE Stratus: Coupe (01-05) MITSUBISHI Galant: 4 Cyl (99-03)
I/B		O/B	
23 SPLINE	MI-5-08-231	23 SPLINE	EAGLE Talon: AWD Front (90-94)
I/B		O/B	
22 SPLINE	MI-5-08-232	22 SPLINE	DODGE Colt: 4 Cyl (91-92)
I/B		O/B	
25 SPLINE	MI-5-08-301	25 SPLINE	HYUNDAI Sonata: 6 Cyl (89-91) MITSUBISHI Galant: Sigma 6 Cyl (88-89)
I/B		O/B	

Blank Shaft Numerical Listing



PART		APPLICATION	
23 SPLINE	MI-5-08-57504	23 SPLINE	DODGE Colt: 4 Cyl 2WD (93-96) EAGLE Summit: 4 Cyl (93-96) MITSUBISHI Mirage: 4 Cyl (93-96)
I/B		O/B	
23 SPLINE	MI-5-08-57504L	23 SPLINE	DODGE Colt: 4 Cyl 2WD (93-96) EAGLE Summit: 4 Cyl (93-96) MITSUBISHI Mirage: 4 Cyl (93-96)
I/B		O/B	
25 SPLINE	MZ-5-05-004	25 SPLINE	FORD Probe: 4 Cyl (88-92) MAZDA 626: (83-87) 626: 4 Cyl (88-92) MX-6: 4 Cyl (88-92)
I/B		O/B	
22 SPLINE	MZ-5-05-011	22 SPLINE	MAZDA 323: (90-92) Protege: (95-98)
I/B		O/B	
26 SPLINE	MZ-5-05-013	26 SPLINE	FORD Probe: 6 Cyl (88-92) Probe: 4 Cyl Turbo (88-92) MAZDA 626: 4 Cyl Turbo (88-92) MX-6: 4 Cyl Turbo (88-92)
I/B		O/B	
22 SPLINE	MZ-5-05-101	22 SPLINE	HYUNDAI Accent: (95-99) MAZDA 323: 2WD (86-89) GLC: (81-86) MERCURY Capri: (91-94) Tracer: 4 Cyl (87-89)
I/B		O/B	
22 SPLINE	MZ-5-05-102	22 SPLINE	KIA Sephia: 4 Cyl SOHC (94-95) MAZDA MX-3: 4 Cyl (94-96) Protege: (95-98)
I/B		O/B	
32 SPLINE	MZ-5-05-103	32 SPLINE	FORD Probe: 4 Cyl (94-97) MAZDA 626: 4 Cyl (94-02) MX-6: 4 Cyl (94-97)
I/B		O/B	
23 SPLINE	MZ-5-05-106	23 SPLINE	MAZDA Protege: 4 Cyl SOHC (90-94) MERCURY Tracer: 4 Cyl (91-96)
I/B		O/B	
30 SPLINE	MZ-5-05-107	30 SPLINE	MAZDA MX-3: 6 Cyl (92-96) Protege: 4 Cyl DOHC (90-94)
I/B		O/B	
30 SPLINE	MZ-5-05-108	30 SPLINE	EAGLE Talon: AWD Front (90-94) FORD Escort: GT 4 Cyl (91-96) MAZDA Protege: 4 Cyl DOHC (90-94) MITSUBISHI Eclipse: 4 Cyl AWD Front (90-94) Galant: 4 Cyl Turbo AWD Front Galant: 4 Cyl AWD Front (89-92) PLYMOUTH Laser: 4 Cyl AWD Front (90-91)
I/B		O/B	



Blank Shaft Numerical Listing

PART		APPLICATION	
26 SPLINE	MZ-5-05-109	26 SPLINE	MAZDA Millenia: 6 Cyl (95-02)
I/B		O/B	
17 9/16'' (446 mm)			
26 SPLINE	MZ-5-05-125	26 SPLINE	MAZDA 626: Turbo (88-92)
I/B		O/B	
15 1/2'' (393.5 mm)			
22 SPLINE	MZ-5-05-201	22 SPLINE	FORD MAZDA MERCURY Festiva: (89-93) 323: 2WD (86-89) GLC: (81-86) Capri: (91-94) Tracer: 4 Cyl (87-89)
I/B		O/B	
27 1/8'' (689 mm)			
22 SPLINE	MZ-5-05-204	22 SPLINE	KIA MAZDA Sephia: 4 Cyl SOHC (94-95) 323: (90-92)
I/B		O/B	
27 1/4'' (692 mm)			
23 SPLINE	MZ-5-05-206	23 SPLINE	MAZDA MERCURY Protege: 4 Cyl SOHC (90-94) Tracer: 4 Cyl (91-96)
I/B		O/B	
27 3/4'' (705 mm)			
30 SPLINE	MZ-5-05-207	30 SPLINE	FORD MAZDA Escort: GT 4 Cyl (91-96) Protege: 4 Cyl DOHC (90-94)
I/B		O/B	
18 1/4'' (464 mm)			
26 SPLINE	MZ-5-05-209	26 SPLINE	MAZDA Millenia: 6 Cyl Miller Cycle Supercharged Millenia: 6 Cyl (95-02)
I/B		O/B	
16 7/8'' (428.5 mm)			
32 SPLINE	MZ-5-05-302	32 SPLINE	FORD MAZDA Probe: 6 Cyl (93-97) Probe: 4 Cyl (93-97) 626: (93) 626: 6 Cyl (94-01) 626: 4 Cyl (94-02) MX-6: (93) MX-6: 6 Cyl (94-97) MX-6: 4 Cyl (94-97)
I/B		O/B	
16 3/8'' (416 mm)			
22 SPLINE	MZ-5-05-303	22 SPLINE	HYUNDAI MAZDA Accent: (95-99) MX-3: 4 Cyl (92-93) Protege: (95-98)
I/B		O/B	
28'' (711 mm)			
30 SPLINE	MZ-5-05-306	30 SPLINE	MAZDA MX-3: 6 Cyl (92-96)
I/B		O/B	
17 1/4'' (438 mm)			
25 SPLINE	MZ-5-05-307	25 SPLINE	MAZDA Pickup B2600: AWD Front (87-93)
I/B		O/B	
12 7/8'' (327 mm)			

Blank Shaft Numerical Listing



PART		APPLICATION	
25 SPLINE	MZ-5-05-308	25 SPLINE	MAZDA MPV: AWD Front (89-95)
I/B		O/B	
12 1/4'' (311 mm)			
30 SPLINE	MZ-5-05-309	30 SPLINE	MAZDA MX-3: 6 Cyl (92-93)
I/B		O/B	
17 1/16'' (433 mm)			
23 SPLINE	NI-5-06-101	23 SPLINE	NISSAN NX: 4 Cyl (91-93) Sentra: 4 Cyl (91-94)
I/B		O/B	
15 3/4'' (400 mm)			
23 SPLINE	NI-5-06-102	22 SPLINE	NISSAN Pulsar: SOHC (87-90) Sentra: (87-90)
I/B		O/B	
16 1/4'' (413 mm)			
23 SPLINE	NI-5-06-103	23 SPLINE	NISSAN Sentra: 4 Cyl (91-92)
I/B		O/B	
16 1/4'' (413 mm)			
25 SPLINE	NI-5-06-104	27 SPLINE	NISSAN Stanza: (87-89)
I/B		O/B	
15 3/8'' (390 mm)			
23 SPLINE	NI-5-06-105	23 SPLINE	NISSAN 200SX: 4 Cyl (95-98) Sentra: 4 Cyl 4-Door (95-97) Sentra: 4 Cyl (98-99)
I/B		O/B	
16'' (406 mm)			
25 SPLINE	NI-5-06-106	25 SPLINE	NISSAN NX: 4 Cyl (91-93) Sentra: 4 Cyl (91-94)
I/B		O/B	
13'' (330 mm)			
25 SPLINE	NI-5-06-107	25 SPLINE	NISSAN NX: 4 Cyl (91-93) Sentra: 4 Cyl (91-94)
I/B		O/B	
13 3/8'' (340 mm)			
27 SPLINE	NI-5-06-108	27 SPLINE	NISSAN Altima: Non-Locking Differential
I/B		O/B	
15 5/16'' (389 mm)			
25 SPLINE	NI-5-06-109	25 SPLINE	INFINITI G20: (91-93)
I/B		O/B	
15 1/2'' (394 mm)			
27 SPLINE	NI-5-06-110	27 SPLINE	NISSAN Maxima: DOHC Locking Differential
I/B		O/B	
14 3/8'' (365 mm)			



Blank Shaft Numerical Listing

PART		APPLICATION	
27 SPLINE	NI-5-06-111	27 SPLINE	INFINITI
I/B		O/B	NISSAN
	15 3/16'' (385 mm)		I30: Non-Locking Differential I30: Locking Differential (96-99) Maxima: Non-Locking Differential Maxima: Locking Differential
27 SPLINE	NI-5-06-112	27 SPLINE	INFINITI
I/B		O/B	NISSAN
	15 11/16'' (399 mm)		I30: Non-Locking Differential Maxima: Non-Locking Differential
34 SPLINE	NI-5-06-114	34 SPLINE	MERCURY
I/B		O/B	NISSAN
	17'' (432 mm)		Villager: (93-98) Quest: (93-00)
26 SPLINE	NI-5-06-116	26 SPLINE	NISSAN
I/B		O/B	
	14 7/8'' (378.5 mm)		Altima: (93-97)
27 SPLINE	NI-5-06-117	27 SPLINE	NISSAN
I/B		O/B	
	15 1/16'' (382 mm)		Maxima: (92-94)
27 SPLINE	NI-5-06-118	27 SPLINE	NISSAN
I/B		O/B	
	15 5/16'' (388.5 mm)		Maxima: DOHC Non-Locking Differential
27 SPLINE	NI-5-06-120	27 SPLINE	NISSAN
I/B		O/B	
	16 3/16'' (410.5 mm)		Maxima: DOHC Non-Locking Differential Maxima: Non-Locking Differential
27 SPLINE	NI-5-06-121	27 SPLINE	NISSAN
I/B		O/B	
	14 13/16'' (377 mm)		Maxima: DOHC Locking Differential
27 SPLINE	NI-5-06-123	27 SPLINE	NISSAN
I/B		O/B	
	15 15/16'' (405 mm)		Altima: (98-99)
26 SPLINE	NI-5-06-126	26 SPLINE	NISSAN
I/B		O/B	
	15 1/16'' (382 mm)		Altima: Non-Locking Differential
27 SPLINE	NI-5-06-127	27 SPLINE	NISSAN
I/B		O/B	
	14 13/16'' (376 mm)		Maxima: (92-94)
27 SPLINE	NI-5-06-128	27 SPLINE	INFINITI
I/B		O/B	NISSAN
	15 7/16'' (392 mm)		I30: Locking Differential (96-99) Maxima: Locking Differential

Blank Shaft Numerical Listing



PART		APPLICATION		
25 SPLINE	NI-5-06-129	24 SPLINE	NISSAN	200SX: 4 Cyl (95-98) Sentra: 4 Cyl (98)
I/B		O/B		
27 SPLINE	NI-5-06-131	27 SPLINE	NISSAN	Maxima: Locking Differential
I/B		O/B		
25 SPLINE	NI-5-06-132	25 SPLINE	NISSAN	Maxima: (89-91) Maxima: SOHC (92-94)
I/B		O/B		
27 SPLINE	NI-5-06-133	25 SPLINE	NISSAN	Stanza: Locking Differential Stanza: SE, GXE Locking Differential
I/B		O/B		
27 SPLINE	NI-5-06-136	27 SPLINE	NISSAN	Altima: Locking Differential
I/B		O/B		
23 SPLINE	NI-5-06-139	23 SPLINE	NISSAN	200SX: (95-98)
I/B		O/B		
25 SPLINE	NI-5-06-140	25 SPLINE	NISSAN	Sentra: (91-94)
I/B		O/B		
26 SPLINE	NI-5-06-143	26 SPLINE	NISSAN	Altima: (98-99)
I/B		O/B		
23 SPLINE	NI-5-06-201	23 SPLINE	NISSAN	200SX: 4 Cyl (95-98) NX: 4 Cyl (91-93) Sentra: 4 Cyl (91-94) Sentra: 4 Cyl 4-Door (95-97) Sentra: 4 Cyl (98-99)
I/B		O/B		
23 SPLINE	NI-5-06-202	22 SPLINE	NISSAN	Pulsar: SOHC (87-90) Sentra: (87-90)
I/B		O/B		
23 SPLINE	NI-5-06-203	23 SPLINE	NISSAN	Sentra: 4 Cyl (91-92)
I/B		O/B		
34 SPLINE	NI-5-06-204	34 SPLINE	MERCURY NISSAN	Villager: (93-98) Quest: (93-00)
I/B		O/B		














Blank Shaft Numerical Listing

PART		APPLICATION		
23 SPLINE	NI-5-06-205	23 SPLINE	NISSAN	200SX: 4 Cyl (95-98) Sentra: 4 Cyl 4-Door (95-97) Sentra: 4 Cyl (98-99)
I/B		O/B		
	27 3/8'' (695 mm)			
25 SPLINE	NI-5-06-206	25 SPLINE	NISSAN	NX: 4 Cyl (91-93) Sentra: 4 Cyl (91-94)
I/B		O/B		
	14 7/8'' (378 mm)			
27 SPLINE	NI-5-06-207	27 SPLINE	NISSAN	Altima: Non-Locking Differential
I/B		O/B		
	17'' (432 mm)			
25 SPLINE	NI-5-06-208	25 SPLINE	INFINITI	G20: (91-93)
I/B		O/B		
	17 5/16'' (440 mm)			
27 SPLINE	NI-5-06-210	27 SPLINE	NISSAN	Maxima: DOHC Non-Locking Differential Maxima: DOHC Locking Differential
I/B		O/B		
	18 3/16'' (462 mm)			
25 SPLINE	NI-5-06-216	25 SPLINE	NISSAN	Maxima: (89-91)
I/B		O/B		
	18 1/8'' (460.5 mm)			
27 SPLINE	NI-5-06-217	27 SPLINE	NISSAN	Altima: (98-99)
I/B		O/B		
	18'' (458 mm)			
26 SPLINE	NI-5-06-218	26 SPLINE	NISSAN	Altima: Non-Locking Differential
I/B		O/B		
	17 1/8'' (435 mm)			
24 SPLINE	NI-5-06-219	25 SPLINE	NISSAN	200SX: 4 Cyl (95-98) Sentra: 4 Cyl (98)
I/B		O/B		
	15 5/16'' (389 mm)			
27 SPLINE	NI-5-06-222	27 SPLINE	NISSAN	Maxima: Locking Differential
I/B		O/B		
	15 3/16'' (385.5 mm)			
25 SPLINE	NI-5-06-223	25 SPLINE	NISSAN	Maxima: SOHC (92-94)
I/B		O/B		
	18 9/16'' (472 mm)			
25 SPLINE	NI-5-06-224	27 SPLINE	NISSAN	Maxima: (85-88) Stanza: (87-89)
I/B		O/B		
	17 3/8'' (441 mm)			

Blank Shaft Numerical Listing



PART		APPLICATION	
23 SPLINE	NI-5-06-226	23 SPLINE	NISSAN Sentra: CA (clean air) (00-01) Sentra: (00-03)
I/B		O/B	
	27 1/2'' (699 mm)		
25 SPLINE	NI-5-06-228	27 SPLINE	NISSAN Stanza: Locking Differential Stanza: SE, GXE Locking Differential
I/B		O/B	
	17 3/8'' (442 mm)		
26 SPLINE	NI-5-06-243	26 SPLINE	NISSAN Altima: (98-99)
I/B		O/B	
	17 15/16'' (456 mm)		
27 SPLINE	NI-5-06-301	27 SPLINE	NISSAN Pathfinder: (90-95) Pickup: 6 Cyl (90-95)
I/B		O/B	
	13 1/2'' (343 mm)		
27 SPLINE	NI-5-06-305	27 SPLINE	NISSAN Pathfinder: (96-03)
I/B		O/B	
	13 1/2'' (343.5 mm)		
25 SPLINE	SA-5-25-301	25 SPLINE	SAAB 9000: 4 Cyl 16 Valve DOHC (86-93) 9000: 4 Cyl (94) 9000: 6 Cyl (95-97) 9000: 4 Cyl Turbo (98)
I/B		O/B	
	15 1/4'' (387 mm)		
25 SPLINE	SA-5-25-302	25 SPLINE	SAAB 9000: 4 Cyl 16 Valve DOHC (86-93)
I/B		O/B	
	16'' (406.5 mm)		
23 SPLINE	SB-5-07-004	23 SPLINE	SUBARU 3Dr Coupe: AWD Front (85-89) 3Dr Coupe: 2WD (85-89) Hatchback: (85-94) Loyale: (85-94) Sedan: (85-94) Wagon: (85-94)
I/B		O/B	
	19 1/2'' (495.5 mm)		
25 SPLINE	SB-5-07-005	25 SPLINE	SUBARU Hatchback: Turbo (85-94) Loyale: Turbo (85-94) Sedan: Turbo (85-94) Wagon: Turbo (85-94) XT: Turbo AWD Front Coupe (86) XT: Turbo 2WD Coupe (87)
I/B		O/B	
	19 5/16'' (490 mm)		
25 SPLINE	SB-5-07-008	25 SPLINE	SUBARU Impreza: AWD Front (93-95) Impreza: 2WD (93-95) Impreza: (96-97) Legacy: AWD Front (90-98) Legacy: 2WD (90-98)
I/B		O/B	
	20 5/8'' (524 mm)		
21 SPLINE	SB-5-07-101	21 SPLINE	SUBARU Justy: (89-94)
I/B		O/B	
	15 11/16'' (399 mm)		



Blank Shaft Numerical Listing

PART		APPLICATION	
21 SPLINE	SB-5-07-201	21 SPLINE	SUBARU Justy: (89)
I/B		O/B	
21'' (533 mm)			
29 SPLINE	SB-5-07-301	30 SPLINE	SUBARU Forester: 4 Cyl AWD Front (98-01)
I/B		O/B	
21 1/16'' (535 mm)			
25 SPLINE	SB-5-07-302	25 SPLINE	SUBARU SVX: AWD Front (92-97)
I/B		O/B	
21 1/8'' (536 mm)			
25 SPLINE	SB-5-07-312	23 SPLINE	SUBARU Wagon: (80-84)
I/B		O/B	
17 13/16'' (453 mm)			
23 SPLINE	SB-5-07-313	23 SPLINE	SUBARU GL: AWD Front (80-84)
I/B		O/B	
17 3/4'' (451 mm)			
19 SPLINE	SK-5-30-101	19 SPLINE	GEO Metro: (89-94)
I/B		O/B	
17 5/16'' (440 mm)			
20 SPLINE	SK-5-30-102	20 SPLINE	SUZUKI Esteem: (95-98) Esteem: 4 Cyl (99-02)
I/B		O/B	
15 3/4'' (400 mm)			
19 SPLINE	SK-5-30-103	19 SPLINE	GEO Metro: 3 Cyl 2-Door (95-00)
I/B		O/B	
19 9/16'' (497 mm)			
19 SPLINE	SK-5-30-104	19 SPLINE	GEO Metro: (95-01)
I/B		O/B	
15'' (381 mm)			
SPLINE	SK-5-30-109	SPLINE	SUZUKI Esteem: (95-98)
I/B		O/B	
'' (mm)			
19 SPLINE	SK-5-30-201	19 SPLINE	GEO Metro: (89-94)
I/B		O/B	
24 9/16'' (624 mm)			
20 SPLINE	SK-5-30-202	20 SPLINE	SUZUKI Esteem: (95-98) Esteem: 4 Cyl (99-02)
I/B		O/B	
26 11/16'' (678 mm)			

Blank Shaft Numerical Listing



PART		APPLICATION		
19 SPLINE	SK-5-30-203	19 SPLINE	GEO	Metro: 3 Cyl 2-Door (95-00)
I/B		O/B		
19 SPLINE	SK-5-30-204	19 SPLINE	GEO	Metro: (95-01)
I/B		O/B		
SPLINE	SK-5-30-209	SPLINE	SUZUKI	Esteem: (95-98)
I/B		O/B		
19 SPLINE	SK-5-30-301	19 SPLINE	GEO	Metro: 4 Cyl 4-Door (95-00)
I/B		O/B		
29 SPLINE	TO-5-09-101	29 SPLINE	GEO TOYOTA	Prizm: (93-97) Celica: ST 2WD (90-93) Corolla: (93-01) MR2: (87) MR2: Exc. Supercharged (88-89)
I/B		O/B		
22 SPLINE	TO-5-09-102	22 SPLINE	TOYOTA	Tercel: (91-98)
I/B		O/B		
23 SPLINE	TO-5-09-105	24 SPLINE	TOYOTA	Rav4: AWD Front (96-00)
I/B		O/B		
23 SPLINE	TO-5-09-118	23 SPLINE	TOYOTA	Corolla: (88-91)
I/B		O/B		
29 SPLINE	TO-5-09-201	29 SPLINE	GEO TOYOTA	Prizm: (93-97) Corolla: (93-01)
I/B		O/B		
23 SPLINE	TO-5-09-218	23 SPLINE	TOYOTA	Corolla: (88-91)
I/B		O/B		
34 SPLINE	TO-5-09-301	27 SPLINE	LEXUS	ES 250: (90-91)
I/B		O/B		
34 SPLINE	TO-5-09-302	34 SPLINE	LEXUS TOYOTA	ES 300: (92-96) Avalon: (95-96) Camry: 6 Cyl GKN Design (92-96)
I/B		O/B		



Blank Shaft Numerical Listing

PART		APPLICATION	
30 SPLINE	TO-5-09-303	30 SPLINE	TOYOTA Camry: 4 Cyl Plug-in IBJ (88-91)
I/B		O/B	
15 7/16'' (392 mm)			
32 SPLINE	TO-5-09-304	32 SPLINE	TOYOTA Camry: 4 Cyl (92-96)
I/B		O/B	
17 5/16'' (440 mm)			
30 SPLINE	TO-5-09-305	27 SPLINE	TOYOTA Camry: 4 Cyl Plug-in IBJ (90-91) Celica: GT, GTS (90-93)
I/B		O/B	
16'' (406 mm)			
26 SPLINE	TO-5-09-306	27 SPLINE	TOYOTA Previa: (91-97)
I/B		O/B	
17 5/16'' (440 mm)			
24 SPLINE	TO-5-09-307	24 SPLINE	TOYOTA Camry: 4 Cyl Bolt-on IBJ (83-91)
I/B		O/B	
16 3/8'' (416 mm)			
24 SPLINE	TO-5-09-308	27 SPLINE	TOYOTA 4Runner: AWD Front (86-95)
I/B		O/B	
13 9/16'' (345 mm)			
24 SPLINE	TO-5-09-309	27 SPLINE	TOYOTA T-100: AWD Front Pickup (93-98)
I/B		O/B	
17'' (432 mm)			
24 SPLINE	TO-5-09-310	24 SPLINE	TOYOTA Celica: (86-89)
I/B		O/B	
15 15/16'' (405 mm)			
32 SPLINE	TO-5-09-312	32 SPLINE	TOYOTA Camry: 6 Cyl USA Design (88-91)
I/B		O/B	
14 3/4'' (374.7 mm)			
27 SPLINE	TO-5-09-314	27 SPLINE	TOYOTA Camry: 6 Cyl Japan Design (88-91)
I/B		O/B	
15 1/2'' (394 mm)			
26 SPLINE	TO-5-09-316	26 SPLINE	LEXUS ES 300: (97-01) TOYOTA Avalon: (97-99) Camry: 6 Cyl (97-01) Sienna: (98-01) Solara: 6 Cyl (99-01)
I/B		O/B	
16 1/4'' (413 mm)			
24 SPLINE	TO-5-09-317	24 SPLINE	TOYOTA Camry: 4 Cyl (97-01)
I/B		O/B	
17 9/16'' (445.5 mm)			

Blank Shaft Numerical Listing



PART		APPLICATION	
34 SPLINE	TO-5-09-319	34 SPLINE	TOYOTA Tacoma: AWD Front Auto-Disconnect Differential
I/B		O/B	
	14 1/4'' (362 mm)		
25 SPLINE	VO-5-15-301	25 SPLINE	VOLVO 850: GLT (93-97)
I/B		O/B	
	14 1/4'' (362 mm)		
30 SPLINE	VW-5-20-101	34 SPLINE	VOLKSWAGEN Cabrio: Convertible (95-01) Golf: 4 Cyl w/o Air Bag Hatchback Jetta: 4 Cyl w/o Air Bag Old Body Style
I/B		O/B	
	17 1/4'' (438 mm)		
30 SPLINE	VW-5-20-102	33 SPLINE	VOLKSWAGEN Golf: 6 Cyl (95-96) Jetta: 6 Cyl (94-96) Passat: 6 Cyl (92-97)
I/B		O/B	
	17 11/16'' (449 mm)		
30 SPLINE	VW-5-20-103	30 SPLINE	VOLKSWAGEN Golf: (99-01) Jetta: (99-01)
I/B		O/B	
	17 1/4'' (438 mm)		
30 SPLINE	VW-5-20-105	33 SPLINE	VOLKSWAGEN Golf: 4 Cyl (85) Golf: Exc. GTI 4 Cyl 90mm IBJ Golf: 4 Cyl 8 Valve SOHC 90mm IBJ Golf: Exc. GTI 4 Cyl 8 Valve SOHC 90mm IBJ Golf: 90mm IBJ (90) Jetta: Exc. GLI 4 Cyl 8 Valve SOHC 90mm IBJ Jetta: 4 Cyl (90-92)
I/B		O/B	
	17 1/8'' (435 mm)		
34 SPLINE	VW-5-20-106	27 SPLINE	AUDI A4: (99-02) S4: (00-02)
I/B		O/B	VOLKSWAGEN Passat: (98-03)
	18 3/8'' (467 mm)		
33 SPLINE	VW-5-20-111	30 SPLINE	VOLKSWAGEN Golf: Exc. GTI 4 Cyl 100mm IBJ
I/B		O/B	
	17 1/16'' (433 mm)		
30 SPLINE	VW-5-20-201	34 SPLINE	VOLKSWAGEN Cabrio: Convertible (95-01) Golf: 4 Cyl w/o Air Bag Hatchback Jetta: 4 Cyl w/o Air Bag Old Body Style
I/B		O/B	
	26 7/16'' (671.4 mm)		
30 SPLINE	VW-5-20-202	33 SPLINE	VOLKSWAGEN Golf: 6 Cyl (95-96) Jetta: 6 Cyl (94-96) Passat: 6 Cyl (92-97)
I/B		O/B	
	27 1/8'' (689 mm)		
30 SPLINE	VW-5-20-203	30 SPLINE	VOLKSWAGEN Golf: (99-01) Jetta: (99-01)
I/B		O/B	
	27 5/8'' (701.5 mm)		



Blank Shaft Numerical Listing

PART		APPLICATION	
34 SPLINE	VW-5-20-205	27 SPLINE	AUDI
I/B		O/B	A4: (99-02)
			S4: (00-02)
			VOLKSWAGEN
			Passat: (98-03)
33 SPLINE	VW-5-20-213	30 SPLINE	VOLKSWAGEN
I/B		O/B	Beetle: (99-01)
30 SPLINE	VW-5-20-233	33 SPLINE	VOLKSWAGEN
I/B		O/B	Golf: GTI 100mm IBJ (85-92)